

in accordance with UN Manual of Tests and Criteria Part III, subsection 38.3

Information about the manufacturer

Name	VARTA Storage GmbH
Address	Nürnberger Str. 65 86720 Nördlingen Germany
Phone	+49 9081 2408660
E-mail	info@varta-storage.com
Website	www.varta-storage.com

Description of the product

TypeLithium ion batteryPhysical descriptionRechargeable Lithium ion energy storage module

Product test information

Each object of this declaration has been tested and was found to be compliant with the UN Manual of Test and Criteria, ST/SG/AC.10/11, Part III, subsection 38.3.

Model	Mass	•	Edition of the manual of test and criteria	Test report number	Test report date
Battery module element 3.3 kWh	25.7 kg	3262 Wh	Rev. 5 / Amend. 2 (2013)	QDI-160912-B-EM048126P3S6, EM048126P3S7, EM048126P3S8	2016-09-12
Battery module element 6.5 kWh	44.2 kg	6524 Wh	Rev. 5 / Amend. 2 (2013)	QDI-160912-B-EM048063P3S1, EM048063P3S2, EM048063P3S4, EM048063P3S5	2016-09-12

List of tests conducted and results

Test Item	Test Result	Test Item	Test Result
T1. Altitude simulation	pass	T5. External short circuit	pass
T2. Thermal test	pass	T6. Impact/Crush	pass
T3. Vibration	pass	T7. Overcharge	pass
T4. Shock	pass	T8. Forced Discharge	pass

Test laboratories

The tests were performed by the following test laboratory.

Name	LG Chem, Ltd. / Research Park
Address	188 Munjiro, Yuseong-gu Daejeon, 305-738 Republic of Korea
Phone	+82-10-4808-7362
E-mail	milkis@lgchem.com
Website	www.lgchem.com

Fo 075



Supplier's Test Summary

in accordance with UN Manual of Tests and Criteria Part III, subsection 38.3

Additional information

The products have been manufactured under a quality management program according to IATA DGR clause 3.9.2.6.1 (e), ADR clause 2.2.9.1.7 e), and IMDG code clause 2.9.4.5.

Ellwangen, 2019-12-16

Place and date of issue

VARTA Microbattery GmbH VARTA - Platz 1 D-73479 Ellwangen Germany

Company stamp

lilter tell i. A.

Dr. Sebastian Röhler Manager Product Compliance

Signature

 Page no.:
 2 of 2

 Edition:
 2019-12-16

 Version:
 00